



MODEL	DAC-7 / DAC-7L	DAC-8	DAC-9	DAC-50	VP-445
Type	Converter	Converter	Converter	Converter	Distribution Amplifier
Power Consumption	DC 12v 1.0A	DC 12v 1.0A	DC 12v 1.0A	DC 12v 1.0A	DC 12v 500mA
Product Description	Designed to convert analog video and audio to SD-SDI, allowing transmission of high quality video over distances of up to 200 meters.	Converts from HD/SD-SDI video and audio sources to HDMI. Quickly connect to LCD and Plasma televisions as well as video projectors.	Connect HDMI devices to professional SDI equipment, like video switchers or recorders, up to 200 meter.	A HD/SD-SDI to Y:U:V component & composite Video signal converter with built in up/down scaling	Four way HD/SD SDI Distribution Amplifier with Embedded Audio
VIDEO CONNECTIONS	Input: composite BNC, S-Video, component Output: 2x BNC connector for SDI signal	Input: 2x BNC Connectors for HD/SD-SDI Output: HDMI	Input: HDMI Output: 2x BNC connectors for HD/SD-SDI	Input: HD-SDI/SD-SDI Output: Y:U:V / component or composite signal	Input: 1x SDI (HD or SD) Output: 4x SDI (HD or SD)
AUDIO CONNECTIONS	Input: 2x balanced, XLR connector. 2x unbalanced stereo audio, RCA connector	2x unbalanced audio, RCA connector			
OPTIONS	The DAC-7 mounts between camera and tripod while the DAC-7L is a stand alone unit.	The DAC-8 also embeds the HDMI audio in the SDI stream.	The DAC-9 also embeds the HDMI audio in the SDI stream	Cross convert from 1080i to 720p Up/down scale resolution	
MODE					
NTSC or PAL	Only NTSC or PAL. Not a dual standard device.	Only NTSC or PAL. Not a dual standard device.	Only NTSC or PAL. Not a dual standard device. The DAC-9 is not compatible with the HDMI output from the Sony camera only.	Only NTSC or PAL. Not a dual standard device.	Does not up or down convert HD or SD.
REAR VIEW					



